



POWERCLAD®

SCAFFOLD & CONTAINMENT SHEETING



POWERCLAD® FR TITE SHRINK WRAP

The Flame Retardant Solution for complex projects

"protecting what matters"

FIRE RETARDANT SHRINK WRAP

The latest addition to the Powerclad® range, Powerclad® FR Tite shrink wrap complements our existing temporary site protection range. Helping to contain dust and debris while creating a strong protective barrier against the elements. Suitable for buildings and projects with unique or awkward geometry, it provides a secure, adaptable solution for demanding site conditions.



Roll size: 10m x 20m

POWERCLAD® FR TITE SHRINK WRAP

For complex structures

Powerclad® FR Tite is a shrink-wrap scaffold and temporary protection membrane designed to provide a smooth, secure, and exceptionally tight finish for external containment and protection applications. Strong, durable, dust-tight, and reliable; it helps protect worksites, equipment, and structures from weather, dust, and environmental exposure.

Tested to EN ISO 11925 and TS62 Certified by Warrington Fire, the Powerclad® FR Tite is typically used for external applications and suitable to protect complex structures.



THIRD PARTY
CERTIFIED



FLAME
RETARDANT



MULTIPLE SIZE
ROLLS AVAILABLE



EXTREME
TENSILE STRENGTH

TECHNICAL INFORMATION

For more detailed technical information, including product performance, specification guidance and application details, scan the QR code to download the Powerclad® FR Tite data sheet.

For product advice, technical support or pricing information, please contact us.





FR TITE

THE SMARTER SITE ENCLOSURE



*Flame Retardant Shrink Wrap
built for unpredictable weather
to keep your project moving.*

Dust & debris containment

How it Works



01

Scaffolding Erected

Standard scaffold is built around the structure as normal



02

Film Applied

Wrap is draped & positioned over the scaffold



03

Heat Shrink

Heat gun shrinks the film creating a tight seal



04

Seams Welded

All joints are heat-fused for watertight, windproof enclosure

Key Benefits




All-weather Protection



Superior Wind Resistance



Debris & Dust Containment



Keep Projects on Schedule



Moulds to any Shape



Professional Appearance

Want to know more about ITP's Powerclad® FR Tite?

Contact our sales team on +44 (0)1347 825200
or email us at info@itpltd.com

OTHER PRODUCTS FROM ITP



- Scaffold sheeting
- Keder and temporary roof sheeting
- Vented sheeting
- Insulated sheeting
- Debris netting
- Filter sheeting
- Acoustic barriers



- Roofing underlays
- Wall & house wrap membranes
- Air & vapour control layers
- Façade and thermo-reflective membranes



- Gas barrier membranes for radon, methane and CO₂
- Non-foil gas barrier membranes
- Multi-layered membranes with exceptional resistance to VOC's



- Breather membranes
- Vapour control layers
- Façade membranes and house wraps
- Roofing underlays
- Euroclass A2 and Euroclass B options



VISIT OUR PRODUCT DEVELOPMENT AND TESTING FACILITY

Key tests carried out:

- Tensile strength
- Flame retardancy
- Water resistance
- Performance under aged conditions

If you would like to visit our testing facility to learn more about what we offer, please contact us.



Industrial Textiles & Plastics Ltd
Stillington Road, Easingwold, York YO61 3FA, United Kingdom
T: +44 (0)1347 825200
E: info@itpltd.com
W: itpltd.com
"protecting what matters"

