

# POWERBOND™

## TAPES AND PRIMER FOR GAS BARRIERS AND TANK MEMBRANES

PRODUCT DATA

Revision 5.3

itpltd.com

**Powerbond™ Jointing and Sealing Tapes** are used to provide effective gas, air and water tight joins for Powerbase gas barrier membranes. **Powerbond™ Primer** is a thick liquid bitumen primer with good penetration characteristics for underground installations and improves the bond strength between self-adhesive tanking membranes and the structure.

PRODUCT	Application	Colour	Thickness microns	Temperature range °C	Installation range °C	Width mm	Roll length metres	Roll weight kg	Rolls per carton
<b>SINGLE-SIDED TAPES</b>									
<b>Powerbond Foil Tape</b>	For use with Powerbase Low Perm, Multigas and VOC	Silver		-20 to +70	+4 to +35	75	50	0.83	16
<b>Powerbond Foil Detailing Tape</b>	For use with Powerbase Multigas and VOC	Silver		-20 to +70	+4 to +35	1000	20	25.4	1
<b>DOUBLE-SIDED TAPE</b>									
<b>Powerbond Butyl Tape</b>	For use with Powerbase Radon, Low Perm, Multigas and VOC	Black	1500	-40 to +70	+4 to +35	30 50	30 10	2.15 1.17	10 12
<b>PRIMER</b>									
<b>Powerbond Primer</b>	For use with Powerbase Multigas SA and Puraflex Tank	Water-based liquid primer sealer	Environmentally friendly and VOC free	Drying period 15 - 30 mins	NT	Consumption: 100 - 200 ml/m <sup>2</sup>	NA	Size: 25 litre	Pallet quantity: 24

**NOTE:** The shelf life of self-adhesive products is limited, usually between 6 months and 1 year (protected from direct sunlight and ambient temperatures above 30°C). Sealing tapes should be kept free of moisture and heat. Store away from sunlight in dry conditions at room temperature. As with all pressure sensitive tapes, the surface to which the tape is applied must be clean, dry and free from grease and oil.

Powerbond Primer needs to be stirred well before use and can be applied with a brush, a rubber squeegee or an airless sprayer.

### Powerbase products:

Damp Proof Membranes • Radon Gas Barriers • Radon, Methane and CO<sub>2</sub> Gas Barriers • Hydrocarbon and Chemical Resistant Barriers

Powerbase® is a registered trademark of Industrial Textiles & Plastics Ltd. E&OE.

© Industrial Textiles & Plastics Ltd



Industrial Textiles & Plastics Ltd  
Stillington Road, Easingwold, York YO61 3FA  
United Kingdom

Telephone: +44 (0)1347 825200  
Email: technical@itpltd.com  
Website: www.itpltd.com



Certificate Number 2318

itpltd.com

### DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

Subject to the limitations, disclaimers and statements as set forth below, Industrial Textiles & Plastics Ltd represents to the Buyer that the product or products delivered to the Buyer conform(s) to the manufacturer's description and specifications attached to or delivered with the product.

The representation that Industrial Textiles & Plastics Ltd makes to the Buyer that the product or products conform(s) to the manufacturer's description and specifications applies only under such circumstances when the Buyer utilises the product or products as specified and under normal use for which said product was intended.

Any alleged nonconformity shall be made in writing to Industrial Textiles & Plastics Ltd specifically stating and describing any such alleged nonconformity.

The representation by Industrial Textiles & Plastics Ltd that the product or products delivered to the Buyer conform(s) to the manufacturer's description and specification as attached to or delivered with the product is expressly in lieu of all other representations, warranties, expressed or implied, and of all other obligations and liabilities, including consequential damages, on the part of Industrial Textiles & Plastics Ltd. Industrial Textiles & Plastics Ltd neither assumes nor authorises any person to assume for it any other liability in connection with the sale of the product.

The representation of conformity by Industrial Textiles & Plastics Ltd as represented by Industrial Textiles & Plastics Ltd shall in addition to the above be null and void in the event that the product is misused or handled in a negligent manner by Buyer or any third party.

Industrial Textiles & Plastics Ltd shall not be liable for damages or delays, if such occur, on account of defective material or workmanship or delays in shipment, nor will any allowances be granted for any repairs, alterations, work done or expense incurred in connection with any repairs, alterations or replacements except on specific written authority by Industrial Textiles & Plastics Ltd.

Industrial Textiles & Plastics Ltd shall in no way be liable or responsible for injuries or damages to persons or property arising out of the use or operation of the product as herein contemplated, and Buyer hereby agrees to indemnify and save harmless Industrial Textiles & Plastics Ltd from all such liability and responsibility.

Industrial Textiles & Plastics Ltd shall not be liable for any consequential damages for any reason including but not limited to those contemplated herein and whether such consequential damages may have been foreseeable, proximately caused or otherwise occurring.

Due to a policy of continued research and development, Industrial Textiles & Plastics Ltd reserves the right to alter specifications without notice. Products are offered subject to our normal Conditions of Sale, which are available on request.

Samples and specifications are of an illustrative nature and supplied free of charge. They do not form part of any contract or any intended contract with the user. Final determination of the suitability of any information or material for the use contemplated and the manner of use is the sole responsibility of the user and the user must assume all risk and liability in connection therewith.

This disclaimer of Express or Implied Warranties constitutes a significant limitation on the rights and remedies otherwise available to the Buyer, which the Buyer freely and voluntarily acknowledges and accepts as part of the consideration for the contract to purchase the product or products from Industrial Textiles & Plastics Ltd.

**Test Results** are obtained under laboratory conditions on new material and not under actual usage conditions. Test results only relate to the sample tested. No warranties or assurances of reliability, suitability or fitness for a particular purpose of specimens or data are offered. Assessment of suitability of such material and data for intended use is the sole responsibility of the customer.